

#### P.T. ETERNAL BUANA CHEMICAL INDUSTRIES

BARCLAYS HOUSE 7TH FLOOR, JI Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678 Website: www.royalchemic.com No. : EBCI/MSDS/1097 Issue date : Peb 26, 2006 Rev. no. : 0 Rev. date :-Page no. : 1 of 3

# MATERIAL SAFETY DATA SHEET

# I. PRODUCT IDENTIFICATION

- 🕂 Productname
- : EBA 1261-70 T
- ∔ Common chemical name
- : Alkyd resin

Synonyms

: Oil / fatty acid modified polyester resin

## **II. INFORMATION ON INGREDIENT**

Hazardo us Ingredients	: %	CAS Number	EC number
🛶 Xylene	: < 10	1330-20-7	215-535-7
🖷 White spirit	: 10 - 30	8052-41-3	649-345-00-4

## **III. HAZARD IDENTIFICATION**

Potential Health Effect:	
📕 Eye contact:	: Irritating to eyes
📕 Skin contact	: Frequent or prolonged contact may irritate skin slightly.
📕 Ingestion	: Sore throat, stomach, headache, dizziness, dullness, and vomiting.
+ Inhalation	: Irritating throat and respiratory tract in high concentration.

#### **IV. FIRST AID MEASURES**

井 Eye	econtact	:	Rinse with plenty of water immediately. Seek medical attention.
	n contact		Wash with plenty of soap and water immediately. Take the contaminated clothing off. Seek medical attention if irritation develops.
📥 Inge	estion	:	Do not induce vomiting because of risk of aspiration. Rinse mouth with water. Seek medical attention.
📥 Inha	alation		Move to fresh air and take a rest. Apply artificial respiration if difficulty in breathing. Seek medical attention after significant exposure.

# V. FIRE FIGHTING MEASURES

	Flash Point	:	38°C (tag closed cup).
4	Fire fighting	:	Use water spray to cool fire exposure surfaces and to protect personnel. Use foam, dry chemical, or water spray to extinguish fire.
	Hazardous product of combustion	:	Carbon monoxide (CO).
<b>.</b>	Unusual fire & explosion haz ard	:	None known.
	Protection of fire fighters	:	Wear protective clothing & use self-contained breathing apparatus.



P.T. ETERNAL BUANA CHEMICAL INDUSTRIES

BARCLAYS HOUSE 7TH FLOOR, JI Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678 Website: www.royalchemic.com 
 No.
 : EBCI/MSDS/1097

 Issue date
 : Peb 26, 2006

 Rev. no.
 : 0

 Rev. date
 : 

 Page no.
 : 2 of 3

## **VI. ACCIDENTAL RELEASE MEASURES**

🕂 Personal precauti on	: Use protective equipment.	
Environmental precaution	: Keep a way from drains, ground water & soil. : Collect as much as possible in a container for disposal. Cover the r	o mai adar
Method for cleaning up	with i nert abs orbent, s and or s oil. Disposal according to local regula	

# **VII. STORAGE AND HANDLING**

Handling	:	Keep away from heat, sources of ignition, and no smoking.
Storage	:	Keep in a cool, dry and well-ventilated place.

This product is stable under normal conditions of handling and storage.

## **VIII. PERSONAL PROTECTION**

Personal Protective Equipment

📫 Eyes	: Use safety glasses with side shield.
+ Hands	: Although this material doesn't irritate skin significantly. To minimize skin contamination by following good industrial practice. Wearing protective
📕 Skin & body	<ul> <li>gloves is recommended.</li> <li>Although this material doesn't irritate skin significantly. To minimize skin contamination by following good industrial practice. Wash contaminated skin there will be the block of a contamination of skin there will be a contamination of skin there w</li></ul>
Respiratory system	<ul> <li>thoroughly after handling. A void breathing vapour.</li> <li>Use local exhaust ventilation or handle in a ventilated enclosure. For greater protection wear respiratory protective equipment is recommended.</li> </ul>

# **IX. PHYSICAL PROPERTIES**

₩ ₩ ₩	Physical state & appearance Odor Boiling point Water solubility	:	Yellow & clear liquid. Hydroc arbon odor. 165 – 185 °C Insoluble
<b>.</b>	Specific Gravity (25°C)	:	ca. 0.960
<b>.</b>	Specific Gravity (25°C)	:	ca. 0.960

### X. STABILITY & REACTIVITY

<b>.</b>	Stability	:	Stabl e
<b>.</b>	Condition to avoid	:	Excessive heating.
	Material to a void		None known
<b>.</b>	Hazardous Decomposition Product	:	None known



P.T. ETERNAL BUANA CHEMICAL INDUSTRIES

BARCLAYS HOUSE 7TH FLOOR, JI. Jend Sudirman Kav. 22-23 JAKARTA 12920 Telp. 62-21-5712998, Fax 62-21-5712678 Website: www.royalchemie.com 
 No.
 : EBCI/MSDS/1097

 Issue date
 : Peb 26, 2006

 Rev. no.
 : 0

 Rev. date
 : 

 Page no.
 : 3 of 3

#### XI. TOXICOLOGICAL INFORMATION

PT. Eternal Buana Chemical Industries has not conducted toxicity studies on this material. No toxicological information is available

#### **XII. ECOLOGICAL INFORMATION**

PT. Eternal Buana Chemical Industries has not conducted environmental toxicity or biodegradation studies on this material. No ecological information of this material is available.

<b>\/</b>		 ~~	
<b>XIII</b>	DISPOS		117 101

📥 Disposal method

: Controlled incineration or recycle.

## XIV. TRANSPORT INFORMATION

International transportation regulations :

UN number
 1866
 Proper shipping name
 Resin in solution (flammable liquids)
 Clasification of Haz ardous Materials
 3.3



#### **XV. REGULATORY INFORMATION**

Local regulations

Not a vailable

#### **XVI. OTHER INFORMATION**

This above data and information applies to the product as such and confirming to specifications given by PT. Eternal Buana Chemical Industries. While the information is believed to be correct, EBCI shall in no event be responsible for any damages what so ever, directly or indirectly resulting from the publication or use of or reliance upon data contained here in. Users are advised of possible additional haz ard when the product is used in applications for which it was not intended. This sheet only be used and reproduced for prevention and security purposes.