

# TECHNICAL DATA SHEET

# EBA 1266 - 65 P

#### I. <u>DESCRIPTION</u>

EBA 1266 - 65 P is a long oil alkyd based on soya bean oil with superiority in drying time and yellowing resistance.

### II. PERFORMANCE

- Fast dry.
- Excellent whiteness.
- Good color and color retention.
- Good gloss.
- Good durability.

#### III. SUGGESTED USES

• White decorative enamel.

## IV. SPECIFICATION

• Non-Volatile (150 °C, 15 mins) :  $65 \pm 1 \%$ • Viscosity (25 °C, Gardner-Holdt) :  $Z_2 - Z_5$ • Acid Value (mg KOH/g solid) : maximum 10
• Color (Gardner-Holdt) : maximum 4
• Appearance : clean & clear
• Specific Gravity (25 °C) : ca. 0.959

#### V. STANDARD PACKING

200 kgs in metal drums.

#### VI. STORAGE AND HANDLING

- Store in proper warehouse.
- Keep container closed when not in use.

The information contained herein is correct to the best of our knowledge. The recommendations or suggestions contained in this bulletin are made without guarantee or representation as to results. We suggest that you evaluate these recommendations and suggestions in your own laboratory prior to use. Our responsibility for claims arising from breach of warranty, negligence or otherwise is limited to the purchase price of the material.

PT. ETERNAL BUANA CHEMICAL INDUSTRIES Tel. (62-21) 571 2998, Fax : (61-21) 571 2678 Issue date : Jan 10, 1996 Revised no : 01 Revised date : June 01, 2001